

Ministry of Labour 2014 Underground Diesel Survey Outcomes

Glenn Staskus Provincial Coordinator Mining (A) Ontario Ministry of Labour

Ontario Ministry of Labour Occupational Health and Safety Branch

Ministry of Labour

Operations | Occupational Health & Safety | Employment Standards |



Overview of the Mining Health, Safety and Prevention Review

- In January 2014, the Ministry of Labour's Chief Prevention Officer began leading a comprehensive review of the health, safety and prevention issues related to underground mining in the Province of Ontario.
- Some of the key reasons for the establishment of the Review were as follows:
 - A Sudbury based advocacy group known as "Mine Inquiry Needs Everyone's Support" (MINES) was formed following a double fatality that occurred at Stobie Mine in June of 2011. MINES actively called on the government to have a formal inquiry into mining health and safety in Ontario.
 - There had not been a formal review of mining health and safety in Ontario since 1986 (i.e. the Provincial Inquiry into Ground Control and Emergency Preparedness in Ontario Mines - the Stevenson Inquiry).



Review Advisory Group Members

<u>Member</u>	Role
G. Gritziotis	Review Chair
W. Fram	Observer
J. Perquin	Review Labour Co-Chair
F. Kerr	Review Employer Co-Chair
C. Ballanger-Michaud	Workplace Safety North Representative
C. Mustard	Institute for Work and Health Representative
M. Bond	Mining Legislative Review Committee Labour Representative
R. Emdin	Mining Legislative Review Committee Employer Representative

3

Operations | Occupational Health & Safety | Employment Standards |



Overview of the Mining Health, Safety and Prevention Review

Key Inputs into the Review Process

- A review of statistical information from Ontario and other jurisdictions.
- A review of past mining health and safety reviews inquires in both Ontario and other jurisdictions.
- A review of Coroner's jury recommendations from inquests into mining fatalities.
- A review of literature related to the priority topics.
- Comments, remarks and presentations made at public consultations sessions which were held around the province.
- Written submissions provided to the Review by various stakeholders.
- The findings, conclusions and recommendations of the working groups assigned to report back to the Review on certain topics and objectives



Public Consultations Provincially

<u>Location</u>	Date and Time
Timmins	March 31st, 2:00 p.m. to 4:00 p.m.
Timmins	March 31st, 6:00 p.m. to 8:00 p.m.
Kirkland Lake	April 1 st , 2:00 p.m. to 4:00 p.m.
Sudbury	April 2 nd , 2:00 p.m. to 4:00 p.m.
Sudbury	April 2 nd , 6:00 p.m. to 8:00 p.m.
Sudbury	April 3 rd , 2:00 p.m. to 4:00 p.m.
Red Lake	April 30 th , 2:00 p.m. to 8:00 p.m.
Marathon	May 1 st , 2:00 p.m. to 8:00 p.m.
London	May 13 th , 2:00 p.m. to 8:00 p.m.

5

Operations | Occupational Health & Safety | Employment Standards |



Written Submissions

- Sixty-two written submissions were provided to the Review by:
 - · private citizens;
 - unions;
 - · mining companies;
 - · mining contracting companies;
 - suppliers to the Mining Sector;
 - · research organizations.
- Written submissions generally expanded on what was said in the public consultations.
- Written submissions allowed for greater detail to support ideas and concepts.



Working Tasks and Group Members

Objectives

- 1. Investigation into the Capacity of the Occupational Health and Safety System in the Ontario Mining Sector
- 2. Initiative to Assess the Impact of Introducing New Technology or Processes on Health and Safety in the Ontario Mining Sector
- 3. Initiative to Assess the Internal Responsibility System in the Ontario Mining Sector
- 4. Initiative to Assess Training, Skills and Labour Supply Issues in the Ontario Mining Sector
- 5. Initiative to Identify the Key Health and Safety Hazards Associated with the Ontario Mining Sector

Initiative to Assess the Emergency Preparedness System in the Ontario Mining Sector

7

Operations | Occupational Health & Safety | Employment Standards |



Breakdown of the Eighteen Recommendations by Review Objective

<u>The Hazards</u> <u>Objective</u>	The New Technology and Management of Change Objective	The Emergency Preparedness and Mine Rescue Objective	The Training Objective	<u>The Capacity</u> <u>Objective</u>	The Internal Responsibility System Objective
1.1 - Mining Sector Risk Assessments 1.2 - Amendments to Regulation 854 - Requirements to Perform Mine Site Risk Assessments 1.3 - Ministry of Labour Research Grants 1.4 - Alignment of the Mining Legislative Review Committee 1.5 - Amendments to Regulation 854 - Requirements to Focus on Priority Hazards 1.6 - Review of Occupational Exposure Limits	2.1 - Amendments to Regulation 854 - Requirements to Adopt a Management of Change Process	3.1 - Amendments to Regulation 854 - Requirements for Emergency Response Plans for Exploration Sites 3.2 - Revision of the Mine Rescue Handbook 3.3 - Mine Rescue Responsibilities	4.1 - Common Core Training for Supervisors and Management Personnel 4.2 - The Consistency of the Delivery of Common Core Training	5.1 - The Technical Capability of System Partners 5.2 - Ministry of Labour Policies and Procedures 5.3 - Providing Services to Remote Communities 5.4 - Improvements to Coroner's Inquests for Mining Sector Fatalities	6.1 - Best Practices Guideline for the Internal Responsibility System 6.2 - Improvements to Information Sharing within the Mining Sector



Purpose of the Provincial Survey

The Ontario Ministry of Labour (MOL) surveyed mine operators and mining contractors to obtain information regarding underground diesel fleets and exposure data.

- The information collected from the completed surveys will be a valuable resource in the work undertaken by the Ministry in consultation with the Ventilation and Industrial Hygiene (formerly Diesel) Subcommittee and the Mining Legislative Review Committee (MLRC).
- The information may, for example, help in the review of existing diesel requirements in sections 182, 183, 183.1 and 183.2 of Regulation 854 (Mines and Mining Plants) under the Occupational Health and Safety Act (OHSA), and in determining potential impact of possible recommendations for regulatory amendment that may occur in the future.

9

Operations | Occupational Health & Safety | Employment Standards |



Ministry of Labour mandate

- The MOL's mandate of protecting the health and safety of workers on the job is guided by its Safe at Work Ontario (SAWO) strategy and enforced by workplace compliance to the Occupational Health and Safety Act (OHSA) and its Regulations.
- The prevention of work-related injuries and illness is an integral part of maintaining safe and healthy workplaces and a competitive and sustainable economy.



Past Surveys Conducted 1990

The Mining Legislative Review Committee (MLRC) first established a Diesel Subcommittee in 1989 to review regulatory requirements related to underground diesel equipment usage.

- In October 1990, the "1990 Ontario Underground Diesel Equipment and Procedure Survey" was published by the Mining Health and Safety Branch of the MOL.
- The survey assisted discussions with the MLRC. As a result of those discussions, diesel requirements in the Regulation for Mines and Mining Plants were changed in 1994.

11

Operations | Occupational Health & Safety | Employment Standards |



Past Surveys Conducted Prior to 2014

Provided information to assist with regulatory changes to:

- Replaced weekly gas tests by the operator with testing at the request of a worker
- Removed prescribed logbooks for each piece of equipment
- Adopted most portions of the standard CAN/CSA M424.2-M90, "Non-Rail-Bound Diesel-Powered Machines for Use in Non-Gassy Underground Mines" into regulation.
- Set an exposure limit for respirable combustible dust (RCD) to a 1.5 mg/m³ level.



Past Surveys Conducted Prior to 2014

In May 1993, the Diesel Subcommittee was redirected by the MLRC to "look at advancing technology and how it affects volumes of air and testing".

In 1996 mines were given the opportunity to provide additional information in the form of another Diesel Survey.

As a result, the Diesel Subcommittee supported lowering the fuel sulphur content from 2500 to 500 ppm and highway diesel fuel was allowed in underground mines through amendment of the mining regulation.

13

Operations | Occupational Health & Safety | Employment Standards |



Past Surveys Conducted prior to 2014

The information from the 1996 Survey was also used and quoted by the Diesel Emission Evaluation Program (DEEP), a Canadian mining industry research initiative that was completed in 19XX. The objective of DEEP was to develop and coordinate research to reduce exposure to diesel emissions.




Figure 1.1. Typical elements of a main ventilation system



Past Surveys Conducted Prior to 2014

In 2001, the Diesel Subcommittee continued with its work concentrating on the improvements to air quality that could be obtained through improved maintenance practices.

As a result the 2002 Diesel Survey was conducted by the MOL with endorsement of the MLRC. A detailed questionnaire was distributed to all mining operations in the province.

Requested information:

- make up of equipment fleets,
- maintenance programs, and
- a request for exposure data of provincial workers in underground mines.

15

Operations | Occupational Health & Safety | Employment Standards |



OVERVIEW 2002 DIESEL SURVEY RESULTS

Survey Fleet Information – Respirable Combustible Dust

- 30 mines provided fleet information; 28 answered questionnaire
- 25 mines submitted 1923 personal exposure samples of underground workers
- only 0.3% or 5 samples exceeded 1.5 mg/m³ the previous regulated limit
- 93.3% of samples reported 0.40 mg/m³; 96.5% reported 0.50 mg/m³; 98% reported 0.60 mg/m³.

Highest average concentrations:

• mucking, bolting and shotcreting, 0.2 - 0.3 mg/m³.



Ontario Mining Regulation Amendment 2012

RCD Changed Total Carbon

• The flow of air must reduce the time-weighted average exposure of a worker to total carbon to not more than 0.4 milligrams per cubic metre of air; or reduce the time-weighted average exposure of a worker to elemental carbon, multiplied by 1.3, to not more than 0.4 mg/m³. (subsection 183.1(5))

Exhaust Limit

 In addition, employers are required to ensure that the undiluted exhaust emissions from diesel-powered equipment contain less than 600 parts per million (PPM) by volume of carbon monoxide (down from the previous limit of 1500 PPM). (subsection 182(5))

Testing Procedures Developed in Consultation with JHSC

• Each individual piece of equipment must be tested under consistent conditions so that results from different tests can be compared. (subsection 183.2(1.1))

17

Operations | Occupational Health & Safety | Employment Standards |



Diesel Survey 2014 Survey Overview





Diesel Survey 2014 Survey Overview

In early 2014, all provincially regulated underground mines were asked to supply information about their underground diesel fleet and respond to a questionnaire.

- · A similar survey was also sent out to mine contractors .
- These surveys were approved and endorsed by the Mining Legislative Review Committee.
- The suggested date for the completion of the survey was extended several times before the deadline was finally imposed in February of 2015.

19


Operations | Occupational Health & Safety | Employment Standards |





Diesel Survey 2014 Survey Outcomes


Highlights:


- 9 fewer mines responded to the 2014 survey compared to the 2002 survey, which represents a 30% decrease in the reported data between the 2002 and 2014 surveys.
- This lower response rate makes it more difficult to make direct comparisons using the 2014 diesel survey results and the data from surveys done in previous years, 2002 and 1996.
- Overall, the decrease in responses received impacted the results and reliability of comparisons.





















Ontario Operations | Occupational Health & Safety | Employment Standards | Figures 12 and 12a represent the percent of electronic engines used in each horsepower range FIGURE 12: Percent of BHP by Power Range -FIGURE 12a: Percent of BHP by Power Range-2002 2014 62% electronic 77.5% electronic 93% electronic 201 - 300 + 300 27% / 17% 201-300 < 50 11% 101 - 200 51 - 100 25% 27% 51-100 28% 0% electronic 5% electronic 1 to 100 BHP In 2002, electronically powered engines used in Ontario mines represented 36% of installed horsepower. Based on the reported data from 2014, electronically powered engines made up 36.5% of installed horsepower, representing an overall change of less than 1%, or 0.5% overall. 29





WORKER EXPOSURE TO DIESEL EXHAUST

On June 12, 2012, the International Agency for Research on Cancer (IARC), classified diesel engine exhaust as carcinogenic.

Subsection 183.1(5) of Reg. 854 requires a flow of air that must reduce a time-weighted average exposure of a worker to total carbon to not more than 0.4 m/m3 of air or reduce the TWA exposure to elemental carbon, multiplied by 1.3, to not more than 0.4 mg/m³ per cubic metre of air.

As part of the 2014 survey, mines were asked to provide the last two years of sampling data. 21 mines responded, with 18 providing sampling results.

(Note: Total Carbon = Organic plus Elemental Carbon)

TC = OC + EC


31


Operations | Occupational Health & Safety | Employment Standards |



FIGURE 15/ 16: Number of RCD/NIOSH Samples – by Mine

Number of Mines	Number of NIOSH Samples Taken Over 2 Years
11	0-50
7	51 - 100
3	101 – 200







Highest reported Average Exposure Concentrations

Results by job task. The highest average worker concentrations reported between $0.21 - 0.4 \text{ mg/m}^3$ by job task.

Task Description:

- 1. Mechanics: 83 of 118 samples in the highest range (70.3%)
- 2. Development Drillers: 20 of 30 samples in the highest range (66.7%)
- 3. Bolting: 23 of 37 samples in the highest range (62.2%)
- 4. Service crew: 70 of 166 in the highest range (42.2%)
- 5. Equipment operators: 77 of 226 samples in the highest range (34%)

35

Operations | Occupational Health & Safety | Employment Standards |



Mine Operator Preventive Maintenance

- •The Diesel Subcommittee recognized that regular engine maintenance is a large contributor in controlling emissions. The survey included a number of questions to determine the degree of control that the mines have over maintenance.
- •The median time between planned maintenance (PM) was 250 hours for 14 of the 21 mines reporting. The other 7 mines conduct their planned maintenance at the following intervals: monthly (5 mines), and 400 hours (2 mines).



Mine Operator Preventive Maintenance

Engine Tuning

- The median time between engine tune-ups was 2000 hours for 9 of the 21 mines.
- Two mines conducted engine tune-ups at a median time of 1000 hours, while one reported at 2500 hours and another at 6000 hours.
- Three others indicated that engine tune-ups were done only as required.
- · Five mines reported not doing engine tune-ups at all.

37

Operations | Occupational Health & Safety | Employment Standards |



Maintenance

Who Performs Service:

- Licensed Mechanics at 20 of the 21 reporting mines.
- · Apprentice mechanics reported by 5 operators.

The main reasons for bringing the equipment to the shop was operator dissatisfaction with their equipment, such as emissions, loss of power, or rough running.

Once the equipment gets to the shop, the main reason for an engine overhaul is through planned maintenance, emissions and/or excessive oil consumption.



Diesel Fuel

Section 182(4) was changed in 2015 and now requires "The fuel used in a diesel engine shall conform to the Canadian General Standards Board National Standard of Canada CAN/CGSB 3.517-2013 "Diesel Fuel".

Of the 21 mines responding to the 2014 survey:

- 45,868,093 litres of diesel fuel was used in the underground mines
- 1 mine reported periodically analyzing the fuel supplied and suggested that a fluctuation in the sulphur content varied from between 7 to 500 ppm.
- · No Bio Diesel was reported used.

39

Operations | Occupational Health & Safety | Employment Standards |



Diesel Fuel

- 7 mines reported using the CAN/CGSB-3.517-93, "Automotive Low Sulphur Diesel Fuel".
- 14 mines reported using the CAN/CGSB-3.16-99 "Mining Diesel Fuel" which is no longer manufactured or readily available.

As of 2015, these standards are no longer referenced in Regulation 854.



Mine Contractors Surveyed

For the first time, mine contractors operating equipment in provincial mines were also asked to take part and complete a diesel survey for the equipment in their fleet.

- Six mine contractors operating equipment in the province completed the survey. Of the six respondents, one reported no underground equipment operating at the time the survey was filled out.
- Responses accounted for approximately 662 pieces of diesel equipment operating in Ontario's underground mines.
- Represents about 30% of the equipment in operation underground at the time the survey was completed.

41

Operations | Occupational Health & Safety | Employment Standards |




Equipment Fleet Reported

Responses indicated that there are 662 pieces of contractor equipment in operation. Detailed information was provided for 289 pieces of equipment.

- The make up or range of equipment was similar to mine operators, and included personnel carriers less than 100 BHP to larger equipment such as haul trucks and LHDs up to 500 BHP.
- The information from the contractors' survey accounted for an additional 23,856 BHP.
- The responses showed that of the total fleet approximately 7% of the equipment was rented or leased, with the other 93% being owned by the mine contractors.

Operations 0	Occupational H	ealth & Safety E	mployment Standards		V	Ontar
EQUIPMENT TYPE	NUMBER OF UND	ERGROUND DIESEL UN	ITS (contractors)			
	0 – 50 BHP	51- 100 BHP	101 – 200 BHP	201 – 300 BHP	+ 300 BHP	TOTAL UNITS
Ī	2014	2014	2014	2014	2014	2014
Bolters		10	5			15
Boom types			6	4		10
Excavators	3					3
Explosive vehicles			1			1
Forklifts	20	2				22
Jumbo	1	21	1			23
Trucks	1		7			8
Haulage trucks					9	9
LHD's		25	7	9	19	60
Personnel carriers	21	8	18			47
Scissorlifts	2	10	19			31
Tractors		16				16
Utility vehicles	1		17	1		19
Other	17	1	3			21
(grader/welder/						
compressor/loader)						
TOTALS	66	93	84	14	28	285





Diesel Fuel

- Mine contractors receive fuel from the mine owner and fuel was not purchased for use at the site or stored separately.
- Based on the reported information, quality control remained with the mine owners to ensure fuel deliveries were of proper grade and sulphur content.
- Contractors were also asked about the use of Bio Fuel in their underground equipment. Based on what was reported, no Bio Diesel was reported being used.

45

Operations | Occupational Health & Safety | Employment Standards |



Emission Control & Tail Pipe Emission Testing

Six responding contractors;

- two provided information on emission control devices being used on diesel equipment;
- the two respondents reported that all their diesel equipment contained a diesel oxidation catalyst only and;
- · no diesel particulate filters were reported as being used.

Tail Pipe Testing;

- 4 mine contractors identified the use of handheld electronic gas analyzers for tailpipe testing while the other still used stain tubes.
- None of the reports suggested any assessment of the diesel particulate matter (DPM) concentration was taking place at the tail pipe.



DISCUSSION

There were seven fewer mines reporting in 2014 than in 2002 although the number of operating mines was similar in both years.

- This discrepancy may account for the reduction in the total number of diesel equipment units reported underground, which was down from 1952 in 2002 to 1557 reported in 2014.
- Based on the reported data there has been little movement to utilize newer engine Tier ratings or engine emissions control technology to reduce diesel emissions from equipment operated underground.
- The number of diesel units decreased from 2250 units in 1996 to 1952 in 2002 and down to 1557 in 2014, but again this most recent number is based on fewer respondents than in previous surveys.

47

Operations | Occupational Health & Safety | Employment Standards |



Thank you Questions?

After the Conference;

Contact the Provincial Coordinator's Office, Ministry of Labour Operations Division 159 Cedar Street, Sudbury, (Ontario) P3E 6A5

Telephone: (705) 564-4165

Fax: (705) 564-7435